# Negative Outcomes of Recreational Cannabis Legalisation

27 Aug 2019

For 40th ASOD Research Working Group



### Scope

- Recap of countries/states that have legalised recreational cannabis
- Trends before and after legalisation of recreational cannabis
- Negative outcomes after legalisation of recreational cannabis
- Conclusion



# Countries/States That Have Legalised Recreational Cannabis

### **Canada and Uruguay**


#### Canada

- Legalised recreational cannabis through the Cannabis Act on 17
   Oct 2018
  - Adults over 18 allowed to buy cannabis oil, seeds and plants and dried cannabis from licensed producers and retailers
  - Grow up to 4 plants per household for personal use
  - Provinces and territories are responsible for determining how cannabis is distributed and sold within their jurisdictions

#### **Uruguay**

- Legalised recreational cannabis in 2013
  - Adults over 18 must registered with the government and are allowed to obtain cannabis through pharmacies, cannabis growers' clubs and home production
  - Limit for personal consumption is 40g per month, or growing of 6 plants per household (total annual production does not exceed 480g)

#### **United States**



Status	Numbers	
Adult and medical use regulated program	11 states and Washington DC	
Comprehensive medical marijuana program	22 states	
CBD/Low THC program	13 states	
No public marijuana access program	4 states	



# Trends Before And After Legalisation of Recreational Cannabis



# United States: Increased cannabis consumption

Results from the 2009 – 2017 NSDUH for 4 States (Colorado, Washington State, Alaska, and Oregon) and Washington DC show:

#### ➤ Youths ages 12-17

More youths in such states consume cannabis compared to the national average.

#### ➤ Young adults ages 18-25

Increased cannabis consumption after the legalisation of recreational cannabis > significantly above national average.

#### Adults ages 26 years and above


 Increased cannabis consumption after the legalisation of recreational cannabis -> significantly above national average.


> Central Narcotics Bureau Keeping Singapore Drug-Free



# Average past year use trend for youths aged 12 - 17

In 2016-2017, average past year use by youths for these states/district (16.0%) was about **31% more** than the national average (12.2%)








# Average past year use trend for young adults aged 18 to 25

In 2016-2017, average past year use by young adults for these states / district (46.2%) was about **36% more** than the national average (33.9%)




Central Narcotics Bureau
Keeping Singapore Drug-Free




# Average past year use trend for adults aged 26 and above

In 2016-2017, average past year use by adults for these states/district (21.8%) was about **88% more** than the national average (11.6%)



# United States: Increasing potency and reducing prices after legalisation

- ➤ Higher potency of cannabis products
- Lower prices of cannabis products
  - Due to the market demand for high potency cannabis products and increasing competition as more cannabis businesses enter the market.



#### Oregon




### First-time and overall cannabis consumption for Canadians ages 15 and above increased

#### In Q1 2019:

- According to Canada's National Cannabis Survey, 646,000 respondents reported trying cannabis for the first time in the last three months. This is almost double the 327,000 figure for Q1 2018.
- Close to 1 in 5 (17.5%) survey responders reported having consumed cannabis in the last three months, up from 14% in Q1 2018 (25% increase).

### Percentage (%) of Canadians who reported cannabis use in the last three months among Canadians ages 15 years old and above



# Canada: Increase in consumption by certain age group after legalisation

Percentage (%) of Canadians who reported cannabis use in the past three months by different age groups



### Top 3 increase in age group

- Ages 55 to 64 (↑55%)
- Ages 25 to 34
   (17%)
- Ages 35 to 44
   (14%)















# Negative outcomes after legalisation of recreational cannabis

### Increased risk of addiction & psychosis

- ➤ More affordable cannabis, → likely increase overall demand and may also increase addiction rates
- People who use cannabis on a daily basis may be at increased risk of developing psychosis and progression to cannabis use disorder, particularly if they use high potency cannabis.
  - E.g. In 2017 2.2% (557,000) of Americans ages 12 to 17, 5.2% (1.8 million) of those ages 18 to 25 and 0.8% (1.7 million) of those 26 years and older suffered from a cannabis use disorder in the past year.

<sup>\*</sup>Note: effect of daily cannabis use and use of high-potency products are not always immediately observable, it is likely that the outcome will only be visible on a longer term



# United States: Increased harms from prenatal exposure

- Legalisation may lead pregnant women to think cannabis is safe and increase prenatal exposures to the harms of cannabis
  - More pregnant women found to consume cannabis in US

Frequency of cannabis consumption	2002- 2003	2016- 2017	% Increase
Daily use in past month	0.9%	3.4%	278%
Past month use	3.4%	7.0%	106%

1<sup>st</sup> Trimester Increase from 1.8% to 5.3%

**2<sup>nd</sup> Trimester** increase from 0.6% to 2.5%

**3<sup>rd</sup> Trimester:** increase from 0.5% to 2.5%

Source: JAMA

### Cannabis dispensaries were also found to give misleading information:

- One-third endorsed marijuana as being safe during pregnancy.
- 69% recommended cannabis to relieve nausea.




United States: Increase in cannabis related traffic accidents

Traffic Deaths Related to Marijuana

#### COLORADO

 151% increase in cannabis- related
 Traffic deaths
 (from 2013 to 2017)



SOURCE

National Highway Traffic Safety Administration, Fatality Analysis Reporting System (FARS), 2006-2011 and Colorado Department of Transportation 2012-2017

COLORADO, WASHINGTON STATE, and OREGON when compared to neighbouring states that had not legalised recreational cannabis

- -6% higher rate of car accident claims (2012 to 2017)
- -5.5% higher rate of police reported crashes (2012-2016).



# United States: Increase in cannabis related poisoning and hospitalisations

#### Increased calls to Poison Centres

- COLORADO –76% increase in cannabis-related calls in 2017, compared to 2012 when recreational youths (0-18 years) → 81% increase.
- WASHINGTON STATE-133% increase in cannabis related calls compared to 2012 when recreational cannabis was legalized. For children (0-5 years) → a 320% increase
- OREGON –147% increase in cannabis-related calls in 2017, compared to 2014 when recreational cannabis was legalized. For children (0-12 years) → 271% increase

#### Cannabis related hospitalisations

- COLORADO 38% increase in cannabis related hospitalisations in 2017, compared to 2012
- OREGON 85% increase in rate of cannabis related emergency room visits in 2015, compared to 2014

### United States: Illicit cannabis activities

### Increase in organised crime groups and underage possession COLORADO

- 277% increase in 2017, up from 2012 when recreational cannabis was legalized.
- Overwhelming increase of underage possession of cannabis (< 21 years) 3502 cases in 2017, from 3 in 2013 and 0 in 2012

### ➤ High and increasing levels of black market activity

"The popularity of marijuana use along with the ease of abuse of some state laws entice diverse sizes and types of criminal organizations to become involved with illegal marijuana cultivation and distribution in the United States" DEA's 2018 National Drug Threat Assessment Report


- OREGON Between July 2015 and Jan 2018, approximately \$48 million worth of black market cannabis believed to originate from Oregon was seized in 37 states
- WASHINGTON STATE Between 2012 where recreational cannabis was legalised to March 2017, more than 8 tons of black market cannabis believed to originate from Washington State was seized in 733 individual seizures in 38 states
- CALIFORNIA The demand for cannabis has led to the growth of the "Grey market" comprising of unlicensed cannabis business that do not register with the government and pay taxes

### Colorado: Social costs outweighs tax revenue

#### Social cost

- Coloradans spent ~ \$4.50 to mitigate the effects of legalisation for every \$1 in tax revenue.
- There was ~\$1.1 billion social costs vs ~\$247 million tax revenue from commercial cannabis.
- →largely due to costs to the healthcare system + high school drop-outs (classified under productivity)
- →Other social cost include: traffic fatalities and accidents, increased court costs for impaired drivers, juvenile use and employer related costs.

2017 Costs



Source: Centennial Institute, 2018



### Canada: Increase in cannabis poisoning and continued high levels of black market activity

### Increase in poisoning cases

 From Oct to Dec 2018, 89 cases of cannabis poisoning were received by the Quebec Poison Control Centre, a 256% increase from Oct to Dec 2017 25 cases)

### Illicit cannabis trafficking continues

- 92 kg of cannabis packages coming from Canada were reported to be seized in Hong Kong between Oct 2018 – Feb 2019, more than the total amount seized in 2016-2018.
- Border smuggling of cannabis into Canada → no signs of slowing down after legalisation
- Drug enforcement officers continue to seize large quantities of dried marijuana even after legalised recreational use in Oct 2018.

#### >Traffic accidents

 Studies have found that cannabis use impairs attention and lengthens reaction time, → increases the risk of a fatal traffic accidents by two to seven-fold



### Conclusion

### Legalisation of Cannabis especially for recreation use

- Increased consumption rates (including youths, pregnant women)
- Increased social harms (cannabis poisoning, traffic accidents, hospitalisation)
- Increased diversion of cannabis for illicit purpose





FACT #1

Little evidence to support the use of cannabinoids for most medical conditions

Cannabinoids are chemical substances in cannabis plant



10%

of cannabis users are going to get addicted

Among daily abusers, 50% are going to get addicted.

#### CANNABIS IS ADDICTIVE



### SMOKING CANNABIS HARMS YOU


HIGHER RISK OF DEATH AFTER A HEART ATTACK

> HIGHER RISK OF TUBERCULOSIS

RESPIRATORY DISEASES

CANCERS







### Long-term use impairs memory & decision-making

THC (tetrahydrocannabinol) is the psychoactive substance in cannabis.

It can lead to smaller brain size and poor memory.



Central Narcotics Bureau
Keeping Singapore Drug-Free

### CNB Facebook Video on The Impact of Cannabis Legalisation






or click on the link below:

https://www.facebook.com/CNB.DrugFreeSG/videos/307243943472709/



### **ASEAN PDE Portal**



Easy access via mobile devices

- Accessed via <u>www.aseanpde.org</u>
- Hosted and managed in Singapore
- Supports the implementation of Preventive Education activities in the ASEAN Work Plan on Securing Committees against Illicit Drugs 2016-2025



### **Thank You**

#### References

- Asia Times (13 Mar 2019). Cannabis mail seizures soar in Hong Kong. https://www.asiatimes.com/2019/03/article/ cannabis-mail-seizures-soar-in-hong-kong/
- Attilio Rapisarda, Keane Lim, & Jimmy Lee. (2017). Does cannabis consumption negatively affect cognition? A review of the scientific evidence. ASEAN Journal of Psychiatry, 18 (2), July - December 2017.
- American College of Obstetricians and Gynaecologists Committee Opinion (Oct 2017). Marijuana Use during Pregnancy and Lactation. https://www.acog.org/Clinical-Guidance-and-Publications/Co%E2%80%A6etric-Practice/Marijuana-Use-During-Pregnancyand-Lactation.
- American Society of Addiction Medicine (2012). White Paper on State-Level Proposals to Legalize Marijuana. https://www.asam.org/docs/defaultsource/public-policy-statements/state-levelproposals-to-legalize-marijuanafinal2773DD668C2D.pdf?stvrsn=e6c7ad4\_2.

B.J Artherberry, H.T Padovano, K.T Foster, R.A Zucker and B.M Hicks (Nov 2018) Higher average potency across the United States is associated with progression to first cannabis use disorder symptom. Drug and Alcohol Dependence Vol 195.

Betsy Dickson, Chanel Mansfield, Maryam Guiahi, Amanda A. Allshouse, Laura M. Borgelt, Jeanelle Sheeder, Robert M. Silber, Torri D. Metz (June 2018). Recommendations From Cannabis Dispensaries About First-Trimester Cannabis Use. Obstetrics & Gynecology.

CBC News (11 April 2019). Internal CBSA report blames illegal pot imports on supply shortages, organised crime.

https://www.cbc.ca/news/politics/cbsa-pot-border-legalization-1.5090885

CBC News (3 Feb 2019). Instances of cannabis poisoning on the rise, Quebec health officials warn.

https://www.cbc.ca/news/canada/montreal/cannabis-quebec-poison-control-1.5004183

#### References

- Department of Justice Drug Enforcement Administration (Oct 2018). 2018 National Drug Threat Assessment.
- Highway Loss Data Institute (April 2018).
   Recreational marijuana and collision claim frequencies.
- Jonaki Bose, Sarra L. Hedden, Rachel N. Lipari, Eunice Park-Lee (Sep 2018). Key Substance Use and Mental Health Indicators in the United States: Results from the 2017 National Survey on Drug Use and Health. Substance Abuse and Mental Health Services Administration.
- Marijuana Policy Group (Aug 2018).
   Market size and demand for marijuana in Colorado 2017 market update (Report prepared for the Colorado Department of Revenue).

Nora D. Volkow, Beth Han, Wilson M. Compton (June 2019). Self-reported Medical and Nonmedical Cannabis Use Among Pregnant Women in the United States. JAMA.

Northwest High Intensity Drug Trafficking Area (Aug 2017), Washington State Marijuana Impact Report Vol 2.

Oregon – Idaho High Intensity Drug Trafficking Area (Aug 2018) - An Initial Assessment of Cannabis Production, Distribution, and Consumption in Oregon 2018 - An Insight Report, First Edition.

Oregon Poison Control Centre (2018). Cannabis Report 2014 – 2018.

Rocky Mountain High Intensity Drug Trafficking Area (Sep 2018). The legalization of Marijuana in Colorado: The Impact Vol 5 Update.

#### References

- Reed, J.K. (2018). Impacts of Marijuana Legalization in Colorado: A Report Pursuant to Senate Bill 13-283. Colorado Division of Criminal Justice, Department of Public Safety.
- Samuel S. Monfort (Oct 2018). Effect of recreational marijuana sales on policereported crashes in Colorado, Oregon, and Washington. Insurance Institute for Highway Safety.
- Secretary of State Oregon Audits Division (Jan 2019). Oregon's framework for regulating marijuana should be strengthened to better mitigate diversion risk and improve laboratory testing.

- Sheryl A. Ryan, Seth D. Ammerman, Mary E. O'Connor. American Academy of Pediatrics (Aug 2018) Marijuana Use During Pregnancy and Breastfeeding: Implications for Neonatal and Childhood Outcomes.
  - http://pediatrics.aappublications.org/content/early/2018/08/23/peds.2018-1889
- The New York Times (27 Apr 2019).
   'Getting Worse, Not Better': Illegal Pot Market Booming in California Despite Legalization.
  - https://www.nytimes.com/2019/04/27/us/marijuana-california-legalization.html
- Washington Poison Center (2018). 2017
   Annual Toxic Trend Report Cannabis.